



EXHIBIT D
5 pages



Drug Search

Aug

START A NEW SEARCH

Enter a drug name

anti-inflammatory

[Search tips](#)

Free, weekly e-newsletter
from Mayo Clinic

Enter e-mail address

More
Information

Search results

Searched for text: "anti-inflammatory drug"
Search results 1 - 2 of 2 are displayed.

ANTI-INFLAMMATORY DRUGS, NONSTEROIDAL (Ophthalmic)

Ophthalmic anti-inflammatory medicines are used in the eye to lessen problems that can occur during or after some kinds of eye surgery. Sometimes, the pupil of the eye gets smaller during an operation. This makes it more difficult for the ...

ANTI-INFLAMMATORY DRUGS, NONSTEROIDAL (Systemic)

Nonsteroidal anti-inflammatory drugs (also called NSAIDs) are used to relieve some symptoms caused by arthritis (rheumatism), such as inflammation, swelling, stiffness, and joint pain. However, this medicine does not cure arthritis and will help ...

ADVE

Free
Per
Hea
acid

Ad
spon

[About this site](#) • [Site help](#) • [Contact us](#) • [e-Newsletter](#) • [Site map](#) • [Privacy policy](#) • [Terms and conditions of use](#)

LEGAL CONDITIONS AND TERMS OF USE APPLICABLE TO ALL USERS OF THIS SITE. ANY USE OF THIS SITE CONSTITUTES YOUR AGREEMENT TO THESE TERMS AND CONDITIONS OF USE.

© 1998-2003 Mayo Foundation for Medical Education and Research. All rights reserved.

For information about Mayo Clinic patient programs and services, go to
www.MayoClinic.org



MayoClinic.com

Reliable information for a healthier life

HOME

DISEASES &
CONDITIONSHEALTHY
LIVING

DRUG SEARCH

HEALTH PROGRAMS
& TOOLSMY HEALTH
INTERESTS

Drug Search

Aug

IN THIS ARTICLE

- [US Brand Names](#)
- [Canadian Brand Names](#)
- [Description](#)
- [Before Using This Medicine](#)
- [Allergies](#)
- [Pregnancy](#)
- [Breast Feeding](#)
- [Children and Adolescents](#)
- [Older Adults](#)
- [Other Medicines](#)
- [Other Medical Problems](#)
- [Proper Use Of This Medicine](#)
- [Dosing](#)
- [Missed Dose](#)
- [Storage](#)
- [Precautions While Using This Medicine](#)
- [Side Effects Of This Medicine](#)
- [Additional Information](#)

Free, weekly e-newsletter
from Mayo Clinic

Enter e-mail address

More
Information

Drug Information provided by: Micromedex

ANTI-INFLAMMATORY DRUGS,
NONSTEROIDAL (Systemic)Some commonly used brand names are:
US Brand Names[Back to top](#)

- Actron 1
- Advil 2
- Advil Caplets 2
- Advil, Children's 2
- Aleve 3
- Anaprox 3
- Anaprox DS 3
- Ansaid 4
- Bayer Select Ibuprofen Pain Relief Formula Caplets 2
- Cataflam 5
- Clinoril 6
- Cotybutazone 7
- Cramp End 2
- Daypro 8
- Dolgesic 2
- Dolobid 9
- EC-Naprosyn 3
- Excedrin IB 2
- Excedrin IB Caplets 2
- Feldene 10
- Genpril 2
- Genpril Caplets 2
- Haltran 2
- Ibifen 600 Caplets 2
- Ibren 2
- Ibu 2
- Ibu-200 2
- Ibu-4 2
- Ibu-6 2
- Ibu-8 2
- Ibuprin 2
- Ibuprohm 2
- Ibuprohm Caplets 2
- Ibu-Tab 2
- Indocin 11
- Indocin SR 11
- Lodine 12
- Lodine XL 12
- Meclomen 13
- Medipren 2
- Medipren Caplets 2
- Midol IB 2
- Mobic 14
- Motrin 2
- Motrin Chewables 2
- Motrin, Children's 2

ADVE

N
May
H
InfoAdv
spon

- Motrin, Children's 2
- Motrin, Children's Oral Drops 2
- Motrin-IB 2
- Motrin-IB Caplets 2
- Motrin, Junior Strength Caplets 2
- Nalfon 15
- Nalfon 200 15
- Naprelan 3
- Naprosyn 3
- Nuprin 2
- Nuprin Caplets 2
- Orudis 1
- Orudis KT 1
- Oruvail 1
- Pamprin-IB 2
- Ponstel 16
- Q-Profen 2
- Relafen 17
- Rufen 2
- Tolectin 200 18
- Tolectin 600 18
- Tolectin DS 18
- Trendar 2
- Voltaren 5

Canadian Brand Names

[Back to top](#)

- Actiprofen Caplets 2
- Advil 2
- Advil Caplets 2
- Albert Tiafen 19
- Alka Butazolidin 7
- Anaprox 3
- Anaprox DS 3
- Ansaid 4
- Apo-Diclo 5
- Apo-Diflunisal 9
- Apo-Flurbiprofen 4
- Apo-Ibuprofen 2
- Apo-Indomethacin 11
- Apo-Keto 1
- Apo-Keto-E 1
- Apo-Napro-Na 3
- Apo-Napro-Na DS 3
- Apo-Naproxen 3
- Apo-Phenylbutazone 7
- Apo-Piroxicam 10
- Apo-Sulin 6
- Apo-Tenoxicam 20
- Butazolidin 7
- Clinoril 6
- Daypro 8
- Dolobid 9
- Feldene 10
- Froben 4
- Froben SR 4
- Idarac 21
- Indocid 11
- Indocid SR 11
- Medipren Caplets 2
- Mobiflex 20
- Motrin 2
- Motrin-IB 2
- Nalfon 15
- Naprosyn 3
- Naprosyn-E 3
- Naprosyn-SR 3
- Naxen 3
- Napro-Diflunisal 9

- Novo-Difenac 2
- Novo-Difenac SR 5
- Novo-Diflunisal 2
- Novo-Flurprofen 4
- Novo-Keto-EC 1
- Novo-Methacin 11
- Novo-Naprox 3
- Novo-Naprox Sodium 3
- Novo-Naprox Sodium DS 3
- Novo-Pirocam 10
- Novo-Profen 2
- Novo-Sundac 6
- Novo-Tenoxicam 20
- Novo-Tolmetin 18
- Nu-Diclo 5
- Nu-Flurbiprofen 4
- Nu-Ibuprofen 2
- Nu-Indo 11
- Nu-Naprox 3
- Nu-Pirox 10
- Orudis 1
- Orudis-E 1
- Orudis-SR 1
- Oruvail 1
- PMS-Piroxicam 10
- Ponstan 16
- Relafen 17
- Rhodis 1
- Rhodis-EC 1
- Surgam 19
- Surgam SR 19
- Synflex 3
- Synflex DS 3
- Tolectin 200 18
- Tolectin 400 18
- Tolectin 600 18
- Voltaren 5
- Voltaren Rapide 5
- Voltaren SR 5

Other commonly used names are: Etodolic acid, Indometacin, Meclofenamic acid.

This information does *not* apply to aspirin or other salicylates or to ketorolac (e.g., Toradol).

Description

[Back to top](#)

Nonsteroidal anti-inflammatory drugs (also called NSAIDs) are used to relieve some symptoms caused by arthritis (rheumatism), such as inflammation, swelling, stiffness, and joint pain. However, this medicine does not cure arthritis and will help you only as long as you continue to take it.

Some of these medicines are also used to relieve other kinds of pain or to treat other painful conditions, such as:

- gout attacks;
- bursitis;
- tendinitis;
- sprains, strains, or other injuries; or
- menstrual cramps.

Ibuprofen and naproxen are also used to reduce fever.

Meclofenamate is also used to reduce the amount of bleeding in some women who have very heavy menstrual periods.

Nonsteroidal anti-inflammatory drugs may also be used to treat other conditions as determined by your doctor.

**MayoClinic.com**

Reliable information for a healthier life

[HOME](#)[DISEASES &
CONDITIONS](#)[HEALTHY
LIVING](#)[DRUG SEARCH](#)[HEALTH PROGRAMS
& TOOLS](#)[MY HEALTH
INTERESTS](#)[Drug Search](#)

Aug

IN THIS ARTICLE

- [US Brand Names](#)
- [Description](#)
- [Before Using This Medicine](#)
- [Allergies](#)
- [Pregnancy](#)
- [Breast Feeding](#)
- [Children and Adolescents](#)
- [Older Adults](#)
- [Other Medicines](#)
- [Other Medical Problems](#)
- [Proper Use Of This Medicine](#)
- [Dosing](#)
- [Missed Dose](#)
- [Storage](#)
- [Precautions While Using This Medicine](#)
- [Side Effects Of This Medicine](#)

Free, weekly e-newsletter
from Mayo Clinic

[More](#)[Information](#)Drug Information provided by: [Micromedex](#)**ANTI-INFLAMMATORY DRUGS,
NONSTEROIDAL (Ophthalmic)**

Some commonly used brand names are:

US Brand Names[Back to top](#)

- Ocufen 1
- Profenal 2
- Voltaren Ophthalmic 3

Canadian Brand Names[Back to top](#)

- Indocid 4
- Ocufen 1
- Voltaren Ophtha 3

Another commonly used name for indomethacin is indometacin .

Description[Back to top](#)

Ophthalmic anti-inflammatory medicines are used in the eye to lessen problems that can occur during or after some kinds of eye surgery. Sometimes, the pupil of the eye gets smaller during an operation. This makes it more difficult for the surgeon to reach some areas of the eye. Some of these medicines are used to help prevent this. Also, some of them are used after eye surgery, to relieve effects such as inflammation or edema (too much fluid in the eye).

These medicines may also be used for other conditions, as determined by your ophthalmologist (eye doctor).

These medicines are available only with your doctor's prescription, in the following dosage forms:

Ophthalmic

- Diclofenac
 - Ophthalmic solution (U.S. and Canada)
- Flurbiprofen
 - Ophthalmic solution (U.S. and Canada)
- Indomethacin
 - Ophthalmic suspension (Canada)
- Suprofen
 - Ophthalmic solution (U.S.)

Before Using This Medicine[Back to top](#)

In deciding to use a medicine, the risks of taking the medicine must be weighed against the good it will do. This is a decision you and your doctor will make. For ophthalmic anti-inflammatory medicines, the following should be considered:

Allergies[Back to top](#)Ad
spon